




## **UBAP2** Polyclonal Antibody

Catalog No	BYab-06355					
Isotype	IgG					
Reactivity	Human;Mouse					
Applications	WB;ELISA					
Gene Name	UBAP2 KIAA1491					
Protein Name	Ubiquitin-associated protein 2 (UBAP-2)					
Immunogen	Synthesized peptide derived from part region of human protein					
Specificity	UBAP2 Polyclonal Antibody detects endogenous levels of protein.					
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.					
Source	Polyclonal, Rabbit,IgG					
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.					
Dilution	WB 1:500-2000 ELISA 1:5000-20000					
Concentration	1 mg/ml					
Purity	≥90%					
Purity Storage Stability	≥90% -20°C/1 year					
•						
Storage Stability						
Storage Stability Synonyms	-20°C/1 year					
Storage Stability Synonyms Observed Band	-20°C/1 year 123kD					
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year  123kD  nucleus,cytoplasm,cell-cell adherens junction,					
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year  123kD  nucleus,cytoplasm,cell-cell adherens junction,  Adrenal gland,Brain,Epithelium,Seminom,T-cell,Testis,  PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 1 UBA domain.,  The protein encoded by this gene contains a UBA (ubiquitin associated) domain, which is characteristic of proteins that function in the ubiquitination pathway. This					
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	-20°C/1 year  123kD  nucleus,cytoplasm,cell-cell adherens junction,  Adrenal gland,Brain,Epithelium,Seminom,T-cell,Testis,  PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 1 UBA domain.,  The protein encoded by this gene contains a UBA (ubiquitin associated) domain, which is characteristic of proteins that function in the ubiquitination pathway. This gene may show increased expression in the adrenal gland and lymphatic tissues. Alternative splicing results in multiple transcript variants. [provided by RefSeq,					

Nanjing BYabscience technology Co.,Ltd







Usage suggestion	IS
------------------	----

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

	Produc	ts Images		

Nanjing BYabscience technology Co.,Ltd