



## Mob3B Polyclonal Antibody

Catalog No	BYab-03966		
Isotype	IgG		
Reactivity	Human;Mouse		
Applications	WB;IHC;IF;ELISA		
Gene Name	MOB3B		
Protein Name	MOB kinase activator 3B		
Immunogen	The antiserum was produced against synthesized peptide derived from human MOBKL2B. AA range:71-120		
Specificity	Mob3B Polyclonal Antibody detects endogenous levels of Mob3B protein.		
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Source	Polyclonal, Rabbit,IgG		
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.		
Dilution	WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/5000 IF 1:50-200		
Concentration	1 mg/ml		
Purity	≥90%		
Storage Stability	-20°C/1 year		
Synonyms	MOB3B; MOBKL2B; MOB kinase activator 3B; Mob1 homolog 2b; Mps one binder kinase activator-like 2B		
Observed Band	23kD		
Cell Pathway			
Tissue Specificity	Colon,Spinal cord,Testis,		
Function	function:May regulate the activity of kinases.,similarity:Belongs to the MOB1/phocein family.,		
Background	The protein encoded by this gene shares similarity with the yeast Mob1 protein. Yeast Mob1 binds Mps1p, a protein kinase essential for spindle pole body duplication and mitotic checkpoint regulation. This gene is located on the opposite strand as the interferon kappa precursor (IFNK) gene. [provided by RefSeq, Jul 2008],		

Nanjing BYabscience technology Co.,Ltd






## matters needing Avoid repeated freezing and thawing! attention Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## COLCOUS Western Blot analysis of various cells using Mob3B (kD) Polyclonal Antibody 117 85 48 47 48 49 49 49 40 41 42 43 43 43 43 44 45 46 47 48 49 41 42 43 44 45 46 47 47 47 48 49 49 41 41



Immunohistochemical analysis of paraffin-embedded Human colon cancer. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com

官方热线: 025-5229-8998

<b>博研生物</b> BYabscience		国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询
	117	Western blot analysis of lysates from COLO cells, using MOBKL2B Antibody. The lane on the right is blocked with the synthesized peptide.
	85	
	48	
MOL2B	34	
	26	
	19 (kD)	

Nanjing BYabscience technology Co.,Ltd