



CCD80 Polyclonal Antibody

Catalog No	BYab-06966	
Isotype	IgG	
Reactivity	Human;Rat;Mouse	
Applications	WB;ELISA	
Gene Name	CCDC80 DRO1 URB HBE245	
Protein Name	Coiled-coil domain-containing protein 80 (Down-regulated by oncogenes protein 1) (Up-regulated in BRS-3 deficient mouse homolog)	
Immunogen	Synthesized peptide derived from part region of human protein	
Specificity	CCD80 Polyclonal Antibody detects endogenous levels of protein.	
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.	
Source	Polyclonal, Rabbit,IgG	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Dilution	WB 1:500-2000 ELISA 1:5000-20000	
Concentration	1 mg/ml	
Purity	≥90%	
Storage Stability	-20°C/1 year	
Synonyms		
Observed Band	104kD	
Cell Pathway	Secreted, extracellular space, extracellular matrix .	
Tissue Specificity	Expressed in dermal papilla and dermal fibroblasts (at protein level). Expressed in heart, thymus, placenta, pancreas, colon, epithelium, spleen and osteoblasts.	
Function	function:Promotes cell adhesion and matrix assembly.,induction:Down-regulated in cancer and after osteoblastic differentiation. Up-regulated by dihydrotestosterone (DHT).,PTM:Phosphorylated.,similarity:Belongs to the CCDC80 family.,subunit:Binds to various extracellular matrix proteins.,tissue specificity:Expressed in dermal papilla and dermal fibroblasts (at protein level). Expressed in heart, thymus, placenta, pancreas, colon, epithelium, spleen and osteoblasts.,	
	ottoobiaoto.,	
Background	function:Promotes cell adhesion and matrix assembly.,induction:Down-regulated in cancer and after osteoblastic differentiation. Up-regulated by dihydrotestosterone (DHT).,PTM:Phosphorylated.,similarity:Belongs to the CCDC80 family.,subunit:Binds to various extracellular matrix proteins.,tissue	

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



	specificity:Expressed in dermal papilla and dermal fibroblasts (at protein level). Expressed in heart, thymus, placenta, pancreas, colon, epithelium, spleen and osteoblasts.,	
matters needing attention	Avoid repeated freezing and thawing!	
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.	

Products Images