



PTH2R Polyclonal Antibody

Catalog No	BYab-07539
Isotype	IgG
Reactivity	Human;Rat;Mouse
Applications	WB;ELISA
Gene Name	PTH2R PTHR2
Protein Name	Parathyroid hormone 2 receptor (PTH2 receptor)
Immunogen	Synthesized peptide derived from human protein . at AA range: 160-240
Specificity	PTH2R Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification Dilution	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
	o
Purity	≥90%
Purity Storage Stability	≥90% -20°C/1 year
Storage Stability	
Storage Stability Synonyms	-20°C/1 year
Storage Stability Synonyms Observed Band	-20°C/1 year 60kD
Storage Stability Synonyms Observed Band Cell Pathway	-20°C/1 year 60kD Cell membrane; Multi-pass membrane protein. Expressed abundantly in brain and pancreas. Also expressed in the testis. function:This is a specific receptor for parathyroid hormone. The activity of this receptor is mediated by G proteins which activate adenylyl cyclase. PTH2R may be responsible for PTH effects in a number of physiological systems. It may play a
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	-20°C/1 year 60kD Cell membrane; Multi-pass membrane protein. Expressed abundantly in brain and pancreas. Also expressed in the testis. function:This is a specific receptor for parathyroid hormone. The activity of this receptor is mediated by G proteins which activate adenylyl cyclase. PTH2R may be responsible for PTH effects in a number of physiological systems. It may play a significant role in pancreatic function. PTH2R presence in neurons indicates that it may function as a neurotransmitter receptor.,similarity:Belongs to the G-protein coupled receptor 2 family.,subunit:Binds to TIPF39/TIP39.,tissue specificity:Expressed abundantly in brain and pancreas. Also expressed in the

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



	compared to parathyroid hormone receptor 1 (PTHR1). It is activated only by PTH and not by parathyroid hormone-like hormone (PTHLH) and is particularly abundant in brain and pancreas. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2013],
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658